





DESCRIPTION Removal of mould and algae and treatment of surfaces

Use biocides safely. Always read the label and product information before use.

RECOMMENDED USES Untreated and painted surfaces infested with mold and algie.

PRODUCT FEATURES Easy to use. Curative solution for removal of mould and algae and treatment of painted and

unpainted surfaces, to be used before initial or maintenance painting in outdoor premices.

Biocidal product types 2 and 10 for consumer and professional users.



HOMEENPOISTO

TECHNICAL DATA

Coverage 5-7 m²/l ready-to-use solution.

Can sizes 1 I, 5 I
Thinner Water

pH value 6-8

Application method Spray, sponge or brush.

Density (kg/l) Approx. 1.1 kg/l, ISO 2811

Storage Protect from frost

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.



HOMEENPOISTO

APPLICATION INSTRUCTIONS

Mixing components

Should not be diluted

Surface preparation

Clean the surface from loose materials, either by brushing it off or if needed clean with cleaning agent and water. Protect glass, aluminum and other similar surfaces that could be damaged by the detergent.

Application

Use Homeenpoisto as a ready made solution, should not be diluted. Apply the product on the surface from the bottom up with a sponge, soft brush or, for large areas, with a low preassure spray equipment. Cleaning from the top down can leave streaks on the facade. Leave the solution on surface.

Note

Do not use product if weather forecasts show rain and wind during day of application or at least for the next 6 hours of application. Cover unpaved soil, sensitive plants and surfaces not to be washed with an impermeable cover fe painters fleece.

Cover glass and materials which can suffer from etching effect during prolonged contact. Rinse immediately with water when splashed on uncovered surfaces.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a doctor. Use biocides safely. Carefully read the information in the warning section.

Cleaning of tools

Clean tools with water.

Environmental protection and waste disposal

Recycle empty, dry cans or dispose them of in accordance with local regulations. Do not empty undiluted solution into drains, water systems and soil. Destroy the undiluted liquid waste according to the local regulations for hazardous waste.

Health and Safety

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (ADBAC/BKC (C12-16)) (2,45 wt.%) Contains: alkyl(C12-16)dimethylbenzylammonium chloride. Warning. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves and eye or face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. Take off contaminated clothing and wash it before reuse. Dispose of contents and container in accordance with all local, regional, national and international regulations. Contains < 5% cationic surfactants, Contains disinfectant. List of ingredients: Aqua, benzalkonium chloride. (https://ec.europa.eu/growth/tools-databases/cosing/)



GHS07

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice

