



TIKKURILA

# KILPI KATONPUHDISTAJA

FOR CLEANING OF BRICK, FELT AND METAL ROOFINGS

**DESCRIPTION**

Removal of mould and algae and treatment of surfaces

Use biocides safely. Always read the label and product information before use.

**RECOMMENDED USES**

Untreated and painted surfaces infested with mold and algae.

**PRODUCT FEATURES**

Easy to use. Curative solution for removal of mould and algae and treatment of painted and unpainted surfaces, to be used before initial or maintenance painting in outdoor premises. Biocidal product types 2 and 10 for consumer and professional users.

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.

# KILPI KATONPUHDISTAJA

## TECHNICAL DATA

|                           |                                                                                                                                 |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Coverage</b>           | 5-7 m <sup>2</sup> /l ready-to-use solution.                                                                                    |
| <b>Can sizes</b>          | 5 l                                                                                                                             |
| <b>Thinner</b>            | Water                                                                                                                           |
|                           | Dilution:<br>Mould infested substrate: Do not dilute (4,9% PT10)<br>Algae infested substrate: Dilute with water 1:10 (0,5% PT2) |
| <b>pH value</b>           | 6-8                                                                                                                             |
| <b>Application method</b> | Spraying (low-pressure spray), brushing                                                                                         |
| <b>Density (kg/l)</b>     | Approx. 1.0 kg/l, ISO 2811                                                                                                      |
| <b>Storage</b>            | Protect from frost.                                                                                                             |

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.

# KILPI KATONPUHDISTAJA

## APPLICATION INSTRUCTIONS

### Surface preparation

Clean the roof by removing leaves, debris and loose vegetation e.g. by brushing. Protect plants from possible splashes.

### Application

Apply Kilpi Katonpuhdistaja to a dry, cleaned surface from bottom to top by using a brush or low pressure spray. Do not rinse the product off; instead, leave it to work on the roof.

### Note

Do not use product if weather forecasts show rain and wind during day of application or at least for the next 6 hours of application.

Cover unpaved soil, sensitive plants and surfaces not to be washed with an impermeable cover f.e. painters fleece.

Cover glass and materials which can suffer from etching effect during prolonged contact. Rinse immediately with water when splashed on uncovered surfaces.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a doctor.

### Environmental protection and waste disposal

Recycle empty, dry cans or dispose them of in accordance with local regulations. Do not empty undiluted solution into drains, water systems and soil. Destroy the undiluted liquid waste according to the local regulations for hazardous waste.

### Health and Safety

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (ADBAC/BKC (C12-16) 4,9 wt.%) **Contains:** alkyl(C12-16)dimethylbenzylammonium chloride. **Danger.** Causes skin irritation. Causes serious eye damage. Very toxic to aquatic life with long lasting effects. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves and eye or face protection. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Collect spillage. Dispose of contents and container in accordance with all local, regional, national and international regulations. Contains < 5% cationic surfactants. Contains disinfectant. List of ingredients: Aqua, benzalkonium chloride. (<https://ec.europa.eu/growth/toolsdatabases/cosing/>)



GHS05

GHS09

The above information is not intended to be exhaustive or complete. The information is based on laboratory tests and practical experience, and it is given to the best of our knowledge. The quality of the product is ensured by our operational system, based on the requirements of ISO 9001 and ISO 14001. As manufacturer we cannot control the conditions under which the product is being used or the many factors that have an effect on the use and application of the product. We disclaim liability for any damages caused by using the product against our instructions or for inappropriate purposes. We reserve the right to change the given information unilaterally without notice.